



## Type HBRC Type HBR

**65 °C**  
**120 °C**

### Self-limiting heating tapes (with and without -approval)

The self-limiting heating tapes control their heating capacity according to the pertinent degree of heating, so that when the final temperature is achieved, it is kept constant. Where sectional temperature differences occur, the heating adapts from one section to the next. This ensures uniform heating. The tapes can be laid overlapping; this is especially suitable for uneven surfaces, such as those that can occur in way of pumps, valves and branches.

The HBRC and HBR heating tapes are available by the metre with matching finishing sets for individual length adjustment on site or pre-finished ex works. The heating tapes come in two variants: With and without -permit.

#### Heating tape without ex approval

Order-Nr.	Watt/m bei +10 °C		max. length of heating circuit
<b>HBRC 15</b>	65 °C	15	140 m
<b>HBRC 25</b>	65 °C	25	80 m
<b>HBR 40</b>	120 °C	40	70 m
<b>HBR 45</b>	120 °C	45	60 m

#### Heating tape with ex approval

Order-Nr.	Watt/m bei +10 °C		max. length of heating circuit
<b>HBR-PSB 13</b>	65 °C	13	180 m
<b>HBR-PSB 26</b>	65 °C	26	80 m
<b>HBR-PSB 33</b>	65 °C	33	70 m
<b>HBR-HSB 45</b>	120 °C	45	70 m

16 A closing temperature +10°C  
Safety cutout (C)


#### HBRC

<b>Operating temperature:</b>	max. 65°C / off: 85°C
<b>Rated voltage:</b>	230 V AC
<b>Rated power:</b>	< 25 W/m
<b>Min. bending radius:</b>	25 mm
<b>Outer dimensions:</b>	app. 6 x 16 mm (thickness x width)
<b>Outer jacket:</b>	PTFE / TPE
<b>Protection grade:</b>	IP 65 (EN 60529)
<b>Protection class:</b>	I

Through temperature limitation to 65°C, this self-limiting heating tape is suitable for use on plastic pipes and tanks.

#### HBR

<b>Operating temperature:</b>	max. 120°C / off: 190°C
<b>Rated voltage:</b>	230 V AC
<b>Rated power:</b>	< 45 W/m
<b>Min. bending radius:</b>	30 mm
<b>Outer dimensions:</b>	app. 5.5 x 15mm (thickness x width)
<b>Outer jacket:</b>	PTFE / TPE
<b>Protection grade:</b>	IP 65 (EN 60529)
<b>Protection class:</b>	I

Making up sets: page 46  
-connection Plexo: page 47

